

# OCTA LUMINA

ELEMENTS



# OCTALUMINA

## ELEMENTS



## CREATING NEW WORLDS: THE INTERACTION OF LUMINOSITY & XXL SURFACES

### **OCTAlumina elements: the emergence of new worlds.**

Light attracts our attention - quite automatically. This effect, combined with large-format suspended light frames, immerses the viewer in a completely new world. With OCTAlumina elements, these kinds of 360° presentation areas in XXL format can be realized quickly and efficiently.



high  
luminosity



modular  
design



space-saving  
storage



durable and  
energy saving



plug &  
play



quick assembly  
and dismantling

### **Huge presentation areas without interruptions!**

The pre-wired modules can be connected with each other in no time and extended in length as required. The special feature: Fabric graphics are tensioned across elements and fixed in the continuous groove. This creates a maximally large area for individual content without interrupting the motif.

### **Cost efficient: space-saving and durable.**

High-quality products that can be used for decades: We use first-class recycled aluminium for our extrusions and install LEDs that are also durable and at the same time energy-saving. However, costs are reduced not only thanks to many years of use but also because of low storage requirements. The light frames are quickly disassembled and can be stored in a spacesaving manner.

# OCTALUMINA ELEMENTS

## Suspended Light Frames


### Ten modules for countless ideas.

Five different lengths, four corner elements and one start or end module - this is what sums up OCTALumina elements. True to the motto „Plug & Play“, the fixed grid and integrated cabling ensure simplicity from planning to installation.

### Advantages:


- modular design: can be extended as required
- continuous fabric surfaces
- closed spaces thanks to corner elements
- can be combined with OCTALumina family
- cost-efficient and reusable





### PARTS LIST

2	OL 1265-3000	Element 3000 mm
5	OL 1265-2000	Element 2000 mm
2	OL 1265-1000	Element 1000 mm
2	OL 1265-500	Element 500 mm
2	OL 1265-E500	Start / End element
2	OL 1265-W45	Corner element 45°
1	OL 1265-W90	Corner element 90°
1	OL 1265-W135	Corner element 135°



### PARTS LIST

1	OL 1265-3000	Element 3000 mm
3	OL 1265-2000	Element 2000 mm
1	OL 1265-500	Element 500 mm
2	OL 1265-W45	Corner element 45°
4	OL 1265-W90	Corner element 90°
2	OL 1265W135	Corner element 135°

1	OL 1265-So Custom size length 475 mm	
1	OL 1265-So Custom size length 879 mm	
1	OL 1265-So Custom size length 1121 mm	
1	OL 1265-So Custom size length 1475 mm	

# EXAMPLES

## OCTAlumina elements



### PARTS LIST

14	OL 1265-3000	Element 3000 mm
4	OL 1265-1000	Element 1000 mm
4	OL 1265-W90	Corner element 90°




**LIGHT FRAME ELEMENT**  
3000 × 1000-3000 MM



**OL 1265-3000**

**Aluminium** | 1 × frame element made of M 1901 with bracing, for double sided back-lit graphics, LED modules (17500 lm, 152 W) and power supply unit 240 W mounted, incl. 1 × cable 2 m with Schuko plug and 4 × screw eye OL 220 for vertical ceiling suspension



W 3000 × H 1000-3000 × D 120 mm


**i**  
Please advise height 1000-3000 mm when placing the order.

**LIGHT FRAME ELEMENT**  
2000 × 1000-3000 MM



**OL 1265-2000**

**Aluminium** | 1 × frame element made of M 1901 with bracing, for double sided back-lit graphics, LED modules (11500 lm, 100 W) and power supply unit 150 W mounted, incl. 1 × cable 2 m with Schuko plug and 3 × screw eye OL 220 for vertical ceiling suspension



W 2000 × H 1000-3000 × D 120 mm


**i**  
Please advise height 1000-3000 mm when placing the order.

**LIGHT FRAME ELEMENT**  
1000 × 1000-3000 MM



**OL 1265-1000**

**Aluminium** | 1 × frame element made of M 1901 with bracing, for double sided back-lit graphics, LED modules (5500 lm, 48 W) and power supply unit 60 W mounted, incl. 1 × cable 2 m with Schuko plug and 2 × screw eye OL 220 for vertical ceiling suspension



W 1000 × H 1000-3000 × D 120 mm


**i**  
Please advise height 1000-3000 mm when placing the order.

**LIGHT FRAME ELEMENT**  
500 × 1000-3000 MM



**OL 1265-500**

**Aluminium** | 1 × frame element made of M 1901 with bracing, for double sided back-lit graphics, LED modules (2500 lm, 22 W) and power supply unit 60 W mounted, incl. 1 × cable 2 m with Schuko plug and 2 × screw eye OL 220 for vertical ceiling suspension



W 500 × H 1000-3000 × D 120 mm


**i**  
Please advise height 1000-3000 mm when placing the order.

**LIGHT FRAME ELEMENT**  
CUSTOM SIZE



**OL 1265-S0**

**Aluminium** | 1 × frame element made of M 1901 with bracing, for double sided back-lit graphics, LED modules and power supply unit mounted, incl. 1 × cable 2 m with Schuko plug and screw eye OL 220 for vertical ceiling suspension



W 500-3000 × H 1000-3000 × D 120 mm

**i**  
Custom size: Please advise dimensions when placing the order.

## OCTAlumina elements

### LIGHT FRAME ELEMENT


500 × 1000-3000 MM  
START / END



#### OL 1265-E500

**Aluminium** | 1 × end frame element made of M 1901 with bracing and end extrusion, for double sided back-lit graphics, LED modules (2500 lm, 22 W) and power supply unit 60 W mounted, incl. 1 × cable 2 m with Schuko plug and 2 × screw eye OL 220 for vertical ceiling suspension

W 500 × H 1000-3000 × D 120 mm



Please advise height 1000-3000 mm when placing the order.

### LIGHT FRAME ELEMENT


90° CORNER



#### OL 1265-W90

**Aluminium** | 1 × corner frame element 90° made of M 1901 with bracing, for double sided back-lit graphics, LED modules (3000 lm, 26 W) and power supply unit 60 W mounted, incl. 1 × cable 2 m with Schuko plug and 2 × screw eye OL 220 for vertical ceiling suspension

W 500 × H 1000-3000 × D 500 mm



Please advise height 1000-3000 mm when placing the order.

### LIGHT FRAME ELEMENT


45° CORNER



#### OL 1265-W45

**Aluminium** | 1 × corner frame element 45° made of M 1901 with bracing, for double sided back-lit graphics, LED modules (3000 lm, 26 W) and power supply unit 60 W mounted, incl. 1 × cable 2 m with Schuko plug and 2 × screw eye OL 220 for vertical ceiling suspension

W 500 × H 1000-3000 × D 354 mm



Please advise height 1000-3000 mm when placing the order.

### LIGHT FRAME ELEMENT


60° CORNER



#### OL 1265-W60

**Aluminium** | 1 × corner frame element 60° made of M 1901 with bracing, for double sided back-lit graphics, LED modules (3000 lm, 26 W) and power supply unit 60 W mounted, incl. 1 × cable 2 m with Schuko plug and 2 × screw eye OL 220 for vertical ceiling suspension

W 500 × H 1000-3000 × D 433 mm



Please advise height 1000-3000 mm when placing the order.

### LIGHT FRAME ELEMENT


135° CORNER



#### OL 1265-W135

**Aluminium** | 1 × corner frame element 135° made of M 1901 with bracing, for double sided back-lit graphics, LED modules (3000 lm, 26 W) and power supply unit 60 W mounted, incl. 1 × cable 2 m with Schuko plug and 2 × screw eye OL 220 for vertical ceiling suspension

W 500 × H 1000-3000 × D 438 mm



Please advise height 1000-3000 mm when placing the order.

---

**OCTANORM® Germany  
Head Office**

Raiffeisenstraße 39  
70794 Filderstadt  
T. +49 711 77003-0  
F. +49 711 77003-53  
info@octanorm.de  
www.octanorm.com

**EUROPE**

---

**OCTANORM® Nordic**  
T. +46 8 621 6500  
www.octanorm.se

**OCTANORM® Polska**  
T. +48 22 773 0350  
www.octanorm.pl

**OCTANORM® Belgium**  
T. +32 475 35 60 76  
www.octanorm.be

**OCTANORM® France**  
T. +33 6 79 11 32 05  
www.octanorm.fr

**OCTANORM® UK**  
T. +44 20 85 45 2945  
www.octanorm.co.uk

**OCTANORM® Espana**  
T. +34 930 019 424  
www.octanorm.es

**OCTANORM® Hellas**  
T. +30 2310 79 6521  
www.octanorm.gr

**OCTANORM® Italia**  
T. +39 031 2269715  
www.octsystem.it

**OCTANORM® Adria**  
T. +386 590 56301  
www.octanormadria.com

**AFRICA**

---

**OCTANORM® South Africa**  
T. +27 11 433 2010  
www.octanorm.co.za

**AMERICA**

---

**OCTANORM® North America**  
T. +1 770 7 32 1520  
www.octanormna.com

**OCTANORM® México**  
T. +52 55 5804 6325  
www.octanorm.com.mx

**ASIA**

---

**OCTANORM® China**  
T. +86 512 6283 3336  
www.octanorm.cn

**OCTANORM® Japan**  
T. +81 45 511 8144  
www.octanorm.co.jp

**AUSTRALIA**

---

**OCTANORM® Australia**  
T. +61 3 7017 2753  
www.octanorm.com.au

**MIDDLE EAST**

---

**OCTANORM® Emirates**  
T. +971 4 340 6888  
www.octanormemirates.net