


OCTA MESH

LUX | MIRACLE





A TRUSTED CONNECTION.
OUR ANSWERS.
YOUR QUESTIONS.

OCULOMER



OUR SOLUTIONS.
CONNECTION.

OCTAMESH

LUX | MIRACLE



UNIQUE LIGHT STRUCTURES OPTICAL DEPTH EFFECT THE NEW SPECIAL FABRIC



Invisible light source. Maximum effect.

Unique light structures. Created by a special effect fabric and individually arranged LED backlights. Single points of light are effectively bent, become indistinct and form artful structures.

Maximize your space. Automatically.

Small spaces in particular can be visually enlarged by means of the depth effect. Light arcs produce a three-dimensional effect that makes any room appear larger. OCTAmesh creates a spacious area of well-being.

Technical details:


- special fabric mounted to a high quality aluminium frame (standard silver color, other colors on request)
- 2 fabric variants and light sources available for different effects
- ready to use immediately via plug and play
- comes with highly efficient LED technology
- color change thanks to RGB LEDs (creating a total of 16.7 million possible colors)
- depth effect
- varying 3D effects depending on viewing angle
- different structural and color options
- also available as acoustic module
- maximum fabric width: 1900 mm

TECHNICAL FEATURES

OCTAmesh lux | OCTAmesh miracle

STANDARD EFFECTS (COLORS FREELY SELECTABLE)


ARRANGEMENT OF LEDS







EFFECT OCTAMESH LUX














ARRANGEMENT OF LEDS




EFFECT OCTAMESH MIRACLE



FURTHER INDIVIDUAL EFFECTS ON REQUEST








12 KITS
DULAR | COM
WALLS UP TO A
WITH EXISTING SY
INTEGRATED
UNIVERS
ILY 260 MM
THE MIXED USE
LY AT THE ED
ON OPTIONS
STATICAL
EUMINATED FRA
CONNECTION FOR
PANELS | LE
NING SAFETY
EXHIBITION,
CYHOLL | V
12 KITS | FR
AP | COM
S UP TO A
EXISTING S
TH INTEGRA
MAXIMA | U
TY | Y 260 M
E MIXED USA
AT THE ED

www.ussteel.org/au-01

欢迎

OCTAMESH


LUX | MIRACLE



2 DIFFERENT LIGHT SOURCES WAVES OR NETTINGS COUNTLESS POSSIBILITIES



LED STRIP
OM 110



3-POINT LED MODULE
OM 103

2 light sources. Different effects.

Whether you go for continuous waves or an interwoven netting of light – it all depends on the chosen light source:

LED strip: light bands in different lengths result in a striped pattern of individual light arcs. Arranged one above the other, they create a stunning wave effect.


3-point LED module: three slightly offset points of light are visually bent by the fabric and form a structure of interwoven light.

Since both light sources consist of RGB capable LEDs, you can play with a total of 16.7 million colors.

Further unique effects can be realized using a variety of light sources and dimmers – there are almost no limits to your creativity. Set about opening up new application possibilities and discover the individuality of OCTAMesh. If desired, we also offer customized solutions.

TECHNICAL FEATURES

OCTAmesh lux | OCTAmesh miracle




OCTAMESH

LUX | MIRACLE



2 DIFFERENT FABRIC VARIANTS HORIZONTAL OR VERTICAL YOUR INDIVIDUAL RESULT



OCTAMESH LUX

OCTAMESH MIRACLE

Light arcs to suit your individual taste and requirements.


Every single point of light is bent into the same direction that comes from the special fabric. Depending on how the fabric is attached to the frame, the light arcs will therefore either be horizontal or vertical. * As long as the lights are off, you see nothing but the fabric adding a sophisticated note to the frame.

In addition to choosing the running direction of the light arcs, you can also decide between two different kinds of fabric:

OCTAmesh lux: keeps points of light visible and lets them appear as additional highlights at the utmost points of the light arcs. Available fabric colors: white and black.

OCTAmesh miracle: transforms points of light completely into light arcs and makes them disappear. The light arcs are longer than those created by OCTAmesh lux. Available fabric colors: anthracite.

*maximum fabric width: 1900 mm, in direction of light arcs up to 30 m possible




DESIGN OF AN OCTAMESH FRAME

TECHNICAL FEATURES


OCTAmesh lux | OCTAmesh miracle



LIGHT ARCS OCTAMESH LUX



LIGHT ARCS OCTAMESH MIRACLE




FRAME LUX
841 × 1189 MM,
WITH 3-POINT LED MODULES




OM 201.01

Aluminium I frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with 3-point LED modules OM 103, incl. effect fabric lux, with silicone edge, cable outlet at the back, DIN A0
W 841 × H 1189 mm




FRAME LUX
841 × 1189 MM,
WITH LED STRIPS



OM 206.01

Aluminium I frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with LED strips OM 110, incl. effect fabric lux, with silicone edge, cable outlet at the back, DIN A0
W 841 × H 1189 mm




FRAME LUX
950 × 2480 MM,
WITH 3-POINT LED MODULES



OM 221.01

Aluminium I freestanding frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with 3-point LED modules OM 103, incl. effect fabric lux, with silicone edge, cable outlet at the bottom, 2 base plates OL 200
W 950 × H 2480 mm




FRAME LUX
950 × 2480 MM,
WITH LED STRIPS



OM 226.01

Aluminium I freestanding frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with LED strips OM 110, incl. effect fabric lux, with silicone edge, cable outlet at the bottom, 2 base plates OL 200
W 950 × H 2480 mm




FRAME LUX
1900 × 2480 MM,
WITH 3-POINT LED MODULES



OM 241.01

Aluminium I freestanding frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with 3-point LED modules OM 103, incl. effect fabric lux, with silicone edge, cable outlet at the bottom, 2 base plates OL 200
W 1900 × H 2480 mm



COMPONENTS


OCTAmesh lux | OCTAmesh miracle

FRAME LUX 1900 × 2480 MM, WITH LED STRIPS



OM 246.01

Aluminium | freestanding frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with LED strips OM 110, incl. effect fabric lux, with silicone edge, cable outlet at the bottom, 2 base plates OL 200
W 1900 × H 2480 mm




CUSTOM FRAME LUX SPECIAL SIZE, WITH 3-POINT LED MODULES



OM 281.01

Aluminium | freestanding frame made of M 1915, incl. black PVC hard foam back panel, equipped with 3-point LED modules OM 103, incl. effect fabric lux, with silicone edge, cable outlet by request, with or without base plates OL 200 special size




i max. fabric width:
1900 mm,
in direction of light
arcs up to 30 m

CUSTOM FRAME LUX SPECIAL SIZE, WITH LED STRIPS



OM 285.01

Aluminium | freestanding frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with LED strips OM 110, incl. effect fabric lux, with silicone edge, cable outlet by request, with or without base plates OL 200 special size




i max. fabric width:
1900 mm,
in direction of light
arcs up to 30 m

FRAME MIRACLE 841 × 1189 MM, WITH 3-POINT LED MODULES



OM 200.01

Aluminium | frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with 3-point LED modules OM 103, incl. effect fabric miracle, with silicone edge, cable outlet at the back, DIN A0
W 841 × H 1189 mm




FRAME MIRACLE 841 × 1189 MM, WITH LED STRIPS



OM 205.01

Aluminium | frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with LED strips OM 110, incl. effect fabric miracle, with silicone edge, cable outlet at the back, DIN A0
W 841 × H 1189 mm




FRAME MIRACLE
950 × 2480 MM,
WITH 3-POINT LED MODULES



OM 220.01

Aluminium | freestanding frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with 3-point LED modules OM 103, incl. effect fabric miracle, with silicone edge, cable outlet at the bottom, 2 base plates OL 200 W 950 × H 2480 mm




FRAME MIRACLE
950 × 2480 MM,
WITH LED STRIPS



OM 225.01

Aluminium | freestanding frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with LED strips OM 110, incl. effect fabric miracle, with silicone edge, cable outlet at the bottom, 2 base plates OL 200 W 950 × H 2480 mm




FRAME MIRACLE
1900 × 2480 MM,
WITH 3-POINT LED MODULES



OM 240.01

Aluminium | freestanding frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with 3-point LED modules OM 103, incl. effect fabric miracle, with silicone edge, cable outlet at the bottom, 2 base plates OL 200 W 1900 × H 2480 mm




FRAME MIRACLE
1900 × 2480 MM,
WITH LED STRIPS



OM 245.01

Aluminium | freestanding frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with LED strips OM 110, incl. effect fabric miracle, with silicone edge, cable outlet at the bottom, 2 base plates OL 200 W 1900 × H 2480 mm




CUSTOM FRAME MIRACLE
SPECIAL SIZE,
WITH 3-POINT LED MODULES



OM 280.01

Aluminium | freestanding frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with 3-point LED modules OM 103, incl. effect fabric miracle, with silicone edge, cable outlet by request, with or without base plates OL 200 special size



max. fabric width:
1900 mm,
in direction of light
arcs up to 30 m

COMPONENTS


OCTAmesh lux | OCTAmesh miracle

CUSTOM FRAME MIRACLE SPECIAL SIZE, WITH LED STRIPS



OM 284.01

Aluminium | freestanding frame made of extrusion M 1915, incl. black PVC hard foam back panel, equipped with LED strips OM 110, incl. effect fabric miracle, with silicone edge, cable outlet by request, with or without base plates OL 200 special size




I max. fabric width:
1900 mm.
in direction of light
arcs up to 30 m

ROUND LAMP MIRACLE 800 MM, WITH 3-POINT LED MODULES



OM 270.90

Aluminium | round lamp made of extrusion M 1930, incl. black PVC hard foam back panel, equipped with 3-point LED modules OM 103, incl. effect fabric miracle, with silicone edge, with suspension
standard: black color
Ø 800 mm






BIL

EXPOMOBIL

OCTANORM

YOUR QUESTIONS.
OUR ANSWERS.
A TRUSTED CONNECTION.





EXHIBITION SYSTEMS
PROJECT SOLUTIONS
PRESENTATION
INTERIOR DESIGN
CLEANROOM SYSTEMS

OCTANORM® Germany
Head Office
Raiffeisenstraße 39
70794 Filderstadt
T. +49 711 77003-0
F. +49 711 77003-53
info@octanorm.de
www.octanorm.com

EUROPE

OCTANORM® Belgium
T. +32 2 344 9880
www.octanorm.be

OCTANORM® France
T. +33 1 4695 5406
www.octanorm.fr

OCTANORM® UK
T. +44 20 85 45 2945
www.octanorm.co.uk

OCTANORM® Hellas
T. +30 2310 79 6521
www.octanorm.gr

OCTANORM® Italia
T. +39 02 9645 1966
www.octanorm.it

OCTANORM® Nederland
T. +31 50 309 5133
www.octanorm.nl

OCTANORM® Polska
T. +48 22 773 0350
www.octanorm.pl

OCTANORM® Adria
T. +386 590 56301
www.octanormadria.com

OCTANORM® Espana
T. +34 930 019 424
www.octanorm.es

OCTANORM® Nordic
T. +46 8 621 6500
www.octanorm.se

OCTANORM® Russia
T. +7 495 565 7920
www.octanorm.ru

AMERICA

OCTANORM® Canada
T. +1 905 822 2108
www.octanorm.net

OCTANORM® USA
T. +1 770 7 32 1520
www.octanormusa.com

OCTANORM® México
T. +52 55 5804 6325
www.octanorm.com.mx

OCTANORM® Brasil
T. +55 11 3807 2552
www.octanorm.com.br

OCTANORM® Argentina
T. +54 11 43 12 4000
www.octanorm.com.ar

AFRICA

OCTANORM® South Africa
T. +27 11 433 2010
www.octanorm.co.za

MIDDLE EAST

OCTANORM® Emirates
T. +971 4 340 6888
www.octanormemirates.net

AUSTRALIA

OCTANORM® Australia
T. +61 3 8773 8550
www.octanorm.com.au

ASIA

OCTANORM® Japan
T. +81 45 511 8144
www.octanorm.jp

OCTANORM® China
T. +86 512 6283 3336
www.octanorm.cn