

# NOVELTIES 2020

## OCTAlumina illuminated door OL 1295



- Illuminated door element with a height of 2500 mm
- Completely illuminated
- Simple installation between two OCTAlumina 120 light frames – toolfree
- Mounted flush on the outside
- Incl. handle set



### ILLUMINATED DOOR 120 UNIVERSAL




#### OL 1295

**Aluminium** | 1 x door element, with illumination, DIN left or DIN right, opens outwards, mounted toolless between two OCTAlumina light frames, LED modules and LED power supply unit mounted (6500 K, 10500 lm, 150 W), incl. cable with Schuko plug and door handle

**without fabric/graphics**

1000 x 2480 x 120 mm (L x H x D)



# NOVELTIES 2020

## OCTAlumina connector OL 1181 and OL 1190



- Create exhibition stands of individual frames with the new plastic clips
- Connect frames without drillings or adjustments
- For 90° and 180° angles
- Perfect for retail and display businesses




### CONNECTOR 90°



### OL 1190

**Plastic** | 1 × Clip to connect two OCTAlumina light frames, 90° angle, mounted into the system groove




### CONNECTOR 180°



### OL 1181

**Plastic** | 1 × Clip to connect two OCTAlumina light frames, 180° angle, mounted into the system groove




## OCTAlumina circular lamp



- High quality power LEDs
- Shadow free illumination
- Graphics are seamlessly tightend
- Thin profile edges
- Three different diameters



### CIRCULAR LAMP Ø1000, HEIGHT 500 MM




#### OL 440


**Aluminium** | 1 x Ceiling lamp, ED modules and LED power supply unit mounted (6500 K, 9860 lm, 140 W) incl. cable with Schuko plug, for seamless graphics, has to be suspended on 3 places

**without fabric/graphics**

1000 x 1000 x 500 mm (L x W x H) | 11 kg



### CIRCULAR LAMP Ø2000, HEIGHT 500 MM




#### OL 450


**Aluminium** | 1 x Ceiling lamp, LED modules and LED power supply unit mounted (6500 K, 16320 lm, 230 W) incl. cable with Schuko plug, for seamless graphics, has to be suspended on 3 places

**without fabric/graphics**

2000 x 2000 x 500 mm (L x W x H) | 21 kg



### CIRCULAR LAMP Ø3000, HEIGHT 500 MM




#### OL 460

**Aluminium** | 1 x Ceiling lamp, LED modules and LED power supply unit mounted (6500 K, 40800 lm, 576 W) incl. cable with Schuko plug, for seamless graphics, has to be suspended on 3 places

**without fabric/graphics**

3000 x 3000 x 500 mm (L x W x H) | 37 kg



Available  
in custom size:  
OL 444