OCTA CLAD





MODULAR ARCHITECTURE. PLACELESS AND TIMELESS. WITH A SYSTEM.

Container buildings: the all-rounders in the outdoor area!

No other construction form makes it easier to implement modular architecture in the outdoor area - anywhere. Apart from the flexibility in the choice of location, the possible uses and applications are also almost unlimited: from promotion stands to pop-up stores to office buildings.


In addition, the room design can be adapted to individual needs. And thanks to the short construction time, containers are just as suitable for road shows as for temporary or permanent buildings.



Cost-effective advertising space: containers for site offices.

OCTACLAD

Container cladding



Attracts attention over long distances: two-story construction with large-scale graphics.

Individual presentation areas - in XXL format!

Containers are miraculously spacious, both inside and out. So why not use the outer surfaces specifically for advertising? With our modular OCTAclad frame system, entire containers can be covered with individual fabric graphics. Precisely tailored to the outer dimensions of popular manufacturers, the frames are simply and easily attached to the outer walls. Best of all, the graphics can be fully customized and replaced time and again in just a few simple steps.

OCTACLAD CONTAINER CLADDING



ATTRACTIVE OUTDOOR ADVERTISING MAKING DULL CONTAINER WALLS A THING OF THE PAST.

OCTAclad frame system: modular and quick to assemble.

The frame system has been especially designed for container cladding. Just mount the fixing parts to the outer container wall and attach the assembled frames. Additional retaining clips provide sufficient stability even over several meters in length. In this way, a perfectly stretched fabric graphic is guaranteed.

Advantages:

- Container remains intact
- lightweight and durable aluminium
- suitable for various container brands
- quick and easy to mount
- reusable



Retaining clips: for maximum stability of the frame





Fixing sets: mounted to the outer container wall.

TECHNICAL FEATURES

Container cladding



Container with suspended frame without fabric graphic.

CONTAINER FRAME SET


2990 × 2818 MM




CO 1AS

aluminium anodized / steel galvanized | $1 \times \text{frame made of CO 730 for Adapteo}$ containers, 5-part, with $4 \times$ container fixing set CO 3AS

21 kg | W 2990 × H 2818 × D 80 mm





CONTAINER FRAME SET


6058 × 2818 MM




CO 2AS

aluminium anodized / steel galvanized | 1 × frame made of CO 730 for Adapteo containers, with $4 \times$ container fixing set CO 3AS and 2 × upper retaining clip set CO 4AS and 2 × lower container retaining clip set CO 5AS

32 kg | W 6058 \times H 2818 \times D 80 mm






FIXING SET FOR CONTAINER FRAMES




CO 3AS

steel galvanized I for mounting frame elements made of CO 730 to Adapteo containers, with $1 \times \text{fixing angle CO 3W}$, $4 \times \text{screw M } 1492, 1 \times \text{M12 screw and}$ $1 \times \text{container securing nut CO 3M}$

0.8 kg | L 127 \times W 90 \times H 100 mm






RETAINING CLIP SET




CO 4AS

steel galvanized I for mounting frame elements made of CO 730 to Adapteo containers, with $1 \times \text{retaining clip top}$ CO 4A, 2 × hammerhead screw M1472 and $1 \times M8$ screw

 $0.7 \text{ kg} \mid \text{L} 155 \times \text{W} 150 \times \text{H} 40 \text{ mm}$





RETAINING CLIP SET


BOTTOM




CO 5AS

steel galvanized I for mounting frame elements made of CO 730 to Adapteo containers, with $1 \times$ retaining clip bottom CO 5A, $2 \times$ hammerhead screw M 1472

0.9 kg | L 213 × B 150 × H 41 mm





Retaining clip also available separately: CO 5A

Retaining clip

also available


separately:

CO 4A

OCTAclad for **Adapteo** containers

CORNER UPRIGHT SET


FOR 90° CORNER, 2818 MM



CO 6AS

aluminium anodized / steel galvanized | $1 \times$ corner upright made of WP 800 for Adapteo containers, with $6 \times$ hammerhead screw M 1477 and $2 \times$ end cap WP 80-4

8 kg | L 80 × W 80 × H 2818 mm



BRACING EXTRUSION


FOR CONTAINERS, 2738 MM



CO 7AS

aluminium anodized / steel galvanized | bracing extrusion of M 1000 for Adapteo containers, with $2\times$ tension lock Z 961/8

 $3.5 \text{ kg} \text{ I L } 2738 \times \text{W} 40 \times \text{H} 40 \text{ mm}$





COVER EXTRUSION SET


FOR CONTAINER FRAME



CO 8AS

aluminium anodized I Cover extrusion set for Adapteo containers, for mounting on the outer edges to increase the wind load when using the container in wind zone 2 inland, incl. $5 \times \text{DIN 7991}$ M8x60 screw, $5 \times \text{DIN 315}$ M8 wing nut and $1 \times \text{cover extrusion CO 8A}$

1 kg | L 55 × W 80 × H 2818 mm



















Container long side




Container front side





TECHNICAL INFORMATION

Frame dimensions

Container top view








TECHNICAL INFORMATION

Mounting of fabric tension extrusion



EXHIBITION SYSTEMS PROJECT SOLUTIONS PRESENTATION INTERIOR DESIGN CLEANROOM SYSTEMS



OCTANORM® Germany Head Office

Raiffeisenstraße 39 70794 Filderstadt T. +49 711 77003-0 F. +49 711 77003-53 info@octanorm.de

EUROPE

OCTANORM® Nordic

T. +46 8 621 6500 www.octanorm.se

OCTANORM® Polska

T. +48 22 773 0350 www.octanorm.pl

OCTANORM® Belgium

T. +32 475 35 60 76 www.octanorm.be

OCTANORM® France

T. +33 6 79 11 32 05 www.octanorm.fr

OCTANORM® UK

T. +44 20 85 45 2945 www.octanorm.co.uk

OCTANORM® Espana

T. +34 930 019 424 www.octanorm.es

OCTANORM® Hellas

T. +30 2310 79 6521 www.octanorm.gr

OCTANORM® Italia

T. +39 031 2269715 www.octsystem.it

OCTANORM® Adria

T. +386 590 56301 www.octanormadria.com

AFRICA

OCTANORM® South Africa

T. +27 11 433 2010 www.octanorm.co.za

AMERICA

OCTANORM® North America

T. +1 770 7 32 1520 www.octanormna.com

OCTANORM® México

T. +52 55 5804 6325 www.octanorm.com.mx

ASIA

OCTANORM® China

T. +86 512 6283 3336 www.octanorm.cn

OCTANORM® Japan

T. +81 45 511 8144 www.octanorm.co.ip

AUSTRALIA

OCTANORM® Australia

T. +61 3 7017 2753 www.octanorm.com.au

MIDDLE EAST

OCTANORM® Emirates

T. +971 4 340 6888 www.octanormemirates.net

