
octanorm 72°

magnetic fixing system

Product presentation with a system.



at trac tive.

7 Contents

magnetic fixing sy	stem	04
7 Technical Features		06
Parts		08

strong. secure. invisible.

Strong appearance. Flexible use.

From changing products to seasonal campaigns to individual brand worlds, our **magnetic fixing system** adapts with ease. It impresses with its sophisticated technology, high-quality materials, and maximum design freedom.

The universal magnetic holder can accommodate a variety of elements, such as shelves, trays or special holders, and it can be positioned anywhere on the surface. When combined with our proven tensioning frame technology, it creates stable presentation surfaces – even in large formats – that can be used on one or both sides.


Thanks to the flat silicone edges, fabric graphics can be swapped out in no time. This makes redecorating easy and ensures that the look is always up to date. Perfect as a freestanding display or for top-notch shop concepts!

₹ magnetic fixing system



Product in focus.

Our magnetic retainers can be flexibly moved within the frame and easily adjusted in height and width. Once in position, they disappear invisibly behind the fabric graphic. The fabric quickly clamps into place via the groove and can be effortlessly replaced at any time. Perfect for changing product presentations.






7 Technical Features

magnetic fixing system





magnetic fixing system

magnetic fixing system

for system groove / loadable / invisibly integrated in the frame behind the fabric

Magnetic retainer max. 5 kg



MF 15.90

Plastic, slate grey | with receiving slot for hook-in systems, with 15 × round magnet on the back for positioning on wall elements with fabric covered steel panels, non-slipping guaranteed for up to 5 kg distributed load

0.24 kg | L 59 × W 17 × H 133 mm



max projection 200 mm

distributed load max. 5 kg

Magnetic retainer max. 3 kg



MF 12.90

Plastic, slate grey | with receiving slot for hook-in systems, with 12 × round magnet on the back for positioning on wall elements with fabric covered steel panels, non-slipping guaranteed for up to 3 kg distributed load

0.20 kg | L 59 \times W 17 \times H 133 mm



max projection 200 mm

distributed load max. 3 kg


Steel plate for 16 mm beam 719 mm long



MF 82.37

Steel | for use with 2 × beams with 16 mm depth

2.82 kg | L 719 × W 16 × H 200 mm




Steel plate for 16 mm beam 300 mm long



MF 80.37

Steel | for use with 2 × beams with 16 mm depth

1.18 kg | L 300 × W 16 × H 200 mm




Magnet fixing beam with 2 × Z 308 for W 442/E



MF 100.90

Steel/Aluminium | for frame element W 442/E, incl. steel plate 300 mm MF 80, with $2 \times$ beam Z 308 (32 × 16 mm)

2.12 kg | L 870 × W 30 × H 200 mm




Magnet fixing beam with 2 × Z 308 for W 442/E



MF 105.90

Steel/Aluminium | for frame element W 442/E, incl. steel plate 719 mm MF 82, with $2 \times \text{beam Z } 308 (32 \times 16 \text{ mm})$

 $3.76~\text{kg} \mid \text{L} \ 870 \times \text{W} \ 30 \times \text{H} \ 200 \ \text{mm}$




Tool set assembly for MF 12/MF 15



MF 1.90

Steel/Plastic/Rubber | for easier assembly of magnetic retainer MF 4, MF 12, MF 15

0.21 kg | L 119 × W 40 × H 83 mm



magnetic fixing system

magnetic fixing system: Accessories

for system groove / loadable / invisibly integrated in the frame behind the fabric


Bracket, straight for MF 12/MF 15



MF 306 S.41

Steel, chrome plated | for hooking into magnetic retainer MF 12, MF 15, for 8 mm glass and wooden shelves

0.22 kg | L 110 × W 92 × H 83 mm



max. projection 200 mm

Glass shelf for MF 306 S



MF 125 G.51

Acrylic glass, clear | 8 mm, for bracket MF 306 S

0.30 kg | L 250 × W 125 × H 8 mm



Glass shelf for MF 306 S



MF 150 G.51

Acrylic glass, clear | 8 mm, for bracket MF 306 S

0.42 kg | L 300 × W 150 × H 8 mm



Wood shelf for MF 306 S



MF 125 P.30

Wood, white | 8 mm, for bracket MF 306 S

0.23 kg | L 250 × W 125 × H 8 mm



Wood shelf for MF 306 S



MF 150 P.30

 $\textbf{Wood, white} \mid 8 \text{ mm, for bracket MF 306 S}$

0.34 kg | L 300 × W 150 × H 8 mm




Hanging arm for MF 12/MF 15



MF 226 S.41

Steel, chrome plated | hooking into magnetic retainer MF 12, MF 15, projection 200 mm

0.13 kg | L 210 × W 40 × H 85 mm




Magnet hook max. 0,3 kg/80 mm



MF 21.41

Steel, chrome plated | with 2 × rectangular magnet on the back for positioning on wall elements with fabric covered steel panels, non-slipping guaranteed for up to 0.3 kg distributed load

0.05 kg | L 80 × W 55 × H 28 mm



max projection


80 mm distributed load max. 0.3 kg

7 Parts

magnetic fixing system



exhibition systems project solutions cleanroom solutions





octanorm 72°

OCTANORM®-Vertriebs-GmbH

für Bauelemente Raiffeisenstraße 39 70794 Filderstadt, Germany

T +49 711 77003-0

E info@octanorm.de

Adria

Australia

Belgium a octanorm.be

China

Emirates

España

France

Hellas

Italia

Japan a octanorm.co.jp

México

Nigeria 7 it-al.design

Nordic

North America

Polska

South Africa

UK

∍ octanorm.co.uk