

octaclassic

uprights + beams

The entry into exhibition systems.





sim pli city.



Simplify. No detours to one's goal. Focussing on the essentials. Due to today's flood of information and the multitude of sensory impressions that affect each individual in a very short time, it is easy to become overwhelmed. Oversaturation sets in and further impressions are no longer perceived. Therefore the question is not: Communicate advertising messages or not? Rather: How can the attention of the customers be directed and maintained in a targeted manner to leave a lasting impression? Here are a few simple answers.



**direct
the
focus.**

➤ **octaclassic**

06

➤ Technical Features

08

➤ In Use

10

➤ Grid


12



quick. efficient. adaptable.

Many booths in a short period of time.

A large exhibition hall with many different exhibitors? With **octaclassic** you can build a variety of booths in no time at all. Simple assembly thanks to patented tension lock technology and uniform components. Can be customised with numerous accessories such as shelf supports or wallwashers. Whether it's a row, head or island booth, the system adapts to your needs.







➤ Technical Features

octaclassic



upright



beam



light weight



reusable



fast assembly



patented
tension lock



accessories

Many booths. Quickly assembled.

Consisting of uprights and beams, the construction can be assembled in no time – without a lot of individual parts. Thanks to a fixed grid, the extrusions can be combined again and again: flexibly adaptable to booth size and type. From small, connected row booths to large island stands: **octaclassic** allows you to create system booths in an easy way.

Individual booths despite system construction? Definitely!

Curved beams and an upright that can be connected at a 45° angle: Be creative and use the freedom to break out of the rectangular booth designs. The stand becomes alive and unique not only through its basic form, but also through the graphics. Choose panel, glass or fabric as a base. We have the right solution to show your advertising message to the outside world.

Accessories to set the scene for your products.

The system groove allows a wide range of accessories to be integrated: from shelves and picture frames to spotlights or cable ducts. Guaranteed to fit and easy to install. In addition to **octaclassic** counters and counter tops, the system can also be combined with other **octanorm** systems such as **octalumina** light frames. **octaclassic** is a system that can be easily expanded.



Support for shelf E 713



Wallwasher M 1497 and cable duct E 460



Connection with tension lock Z 961/13



➤ In Use

octaclassic



Mounting set OL 495 for
octalumina frame







Angular dimension / octagon extrusion







Beam dimension



Round beam dimension




**Axial dimension
standard beams**




**Axial dimension
standard round beams**




Ø 990



Ø 1400



Ø 1980




Ø 2800



octaclassic: grid

Example: Row booth 3 × 4 m, with cabin and panel



Number	Article	Number	Article
12	S 118 upright with adjustable foot	4	M 1497 wallwasher 230V
31	Z 425 beam 950 × 50 mm incl. 2 × tension lock	3	S 108 upright extrusion cut 400 mm for panel
1	Z 430 beam 1360 × 50 mm incl. 2 × tension lock	3	Q 400 octacounter Basic set, silver grey
1	W 510/Z door frame universal	11	Panel 968 × 2360 mm* 3-4 mm thick
1	W 510/T door leaf incl. mortice lock and handle set	1	Panel 968 × 420 mm* 3-4 mm thick (above door)
1	W 514 dead lock cylinder incl. 3 × key W 415/S	4	Panel 968 × 280 mm* 3-4 mm thick (panel)
1	W 524 threshold plate for axis measurement 990 mm		

* Panels are not included in the delivery

i You can find further information and articles online in our technical brochure









exhibition systems
project solutions
cleanroom solutions

octanorm 

OCTANORM®-Vertriebs-GmbH

für Bauelemente

Raiffeisenstraße 39

70794 Filderstadt, Germany

T +49 711 77003-0

E info@octanorm.de

Adria

octanormadria.com

Australia

octanorm.com.au

Belgium

octanorm.be

China

octanorm.cn

Emirates

octanormemirates.net

España

octanorm.es

France

octanorm.fr

Hellas

octanorm.gr

Italia

octanorm.it

Japan

octanorm.co.jp

México

octanorm.com.mx

Nigeria

it-al.design

Nordic

octanorm.se

North America

octanormna.com

Polska

octanorm.pl

South Africa

octanorm.co.za

UK

octanorm.co.uk

octanorm.com