

# LED Videowall

easy install kits

Video Walls in XXL





**let's  
set the  
stage.**

➤ **LED Video Wall**

➤ **easy install kits**

**06**

➤ Overview

08

➤ Technical Features

10

➤ Products

12

➤ **Freestanding LED Video Walls**

**14**

➤ Overview

16

➤ Technical Features

18

➤ Products

20




# big. bigger. video wall.

## Large-scale LED screens for a strong brand presence.

Our **LED video walls** do more than make brand messages visible—they bring them to life. Integrated into our high-quality **octawall pro** frame system, content becomes both eye-catching and a point of orientation. Available as **easy install kits** to complement your exhibition stand concept or as **freestanding solutions**, our video walls are designed to fit perfectly into a variety of applications — from initial planning to finished presentation. The result is a presentation area that attracts attention, simplifies communication, and enhances brand appearance.







# 4 sets. impressive. bright.

## The complete solution: easy install kits.

A strong exhibition appearance is the result of a perfect interaction between content, architecture, and lighting. This is exactly what our **easy install kits** are designed for. The LED video wall seamlessly integrates into the **octawall pro** frame system. Together with **octalux** illuminated extrusions, it becomes a well-thought-out stand solution. Pre-assembled frames and the plug-and-play principle significantly reduce installation time – no special tools or extensive training required. This saves time and reduces project costs while ensuring error-free installation thanks to standardized components. Integrated cable routing creates a tidy, professional appearance. From single exhibit to series project – four set sizes that make a visible impression.



↗ easy install kits





**easy install kits.**

Four sizes. LED video wall and structural analysis included. High-quality workmanship and flexible design – for an exhibit that is not only safe but also a real eye-catcher.



**octawall pro frames: modular and durable.**

Made of aluminium, the **octawall pro** frames are lightweight yet stable and can be covered with fabric and panels. For maximum presentation space that can be adapted again and again.

## ➤ Overview

easy install kits

### Light that attracts attention.

**octalux** illuminated extrusions set the stage for your exhibit.

Controllable via remote, they create individual lighting moods within the RGB color spectrum or as tunable white to highlight your entire exhibit.





### Modular expansion thanks to system design.

Each **easy install kit** can be upgraded to the next size, because everything works together perfectly: modular frames, quick connectors, pre-assembled illuminated extrusions, and a flush-mountable door.



Fabric can be stretched around corners.



Flush integration of universal door W805 set.

# ➤ Technical Features

easy install kits



Highlights with octalux illuminated extrusions.



LED panel integration.





## easy install kits


elegant aluminium surface / octalux illuminated extrusions with dimmable LEDs / integrated door element / structural analysis included

### easy install kit L 3 × W 3 × H 2,5 m



#### WP-C1

**Aluminium** | complete exhibition booth made from octawall pro with LED video wall and octalux, booth dimensions: L 3 × W 3 × H 2,5 m  
LED display area: W 1 × H 1,5 m




### easy install kit L 3 × W 5 × H 2,5 m



#### WP-C2

**Aluminium** | complete exhibition booth made from octawall pro with LED video wall and octalux, booth dimensions: L 3 × W 5 × H 2,5 m  
LED display area: W 2,5 × H 1,5 m




### easy install kit L 4 × W 6 × H 3 m



#### WP-C3

**Aluminium** | complete exhibition booth made from octawall pro with LED video wall and octalux, booth dimensions: L 4 × W 6 × H 3 m  
LED display area: W 3,5 × H 2 m




### easy install kit L 4 × W 7 × H 3,5 m



#### WP-C4


**Aluminium** | complete exhibition booth made from octawall pro with LED video wall and octalux, booth dimensions: L 4 × W 7 × H 3,5 m  
LED display area: W 4,5 × H 2,5 m




## Products

easy install kits


### Overview of set dimensions




WP-C1: L 3 × W 3 × H 2.5 m



WP-C2: L 3 × W 5 × H 2.5 m




WP-C3: L 4 × W 6 × H 3 m



WP-C4: L 4 × W 7 × H 3.5 m

### Dimensions of LED video wall





# freestanding. flexible. 3 sizes.

## Video walls that work with any project.

Sometimes, you need to grab maximum attention without committing to a full stand concept. Our **freestanding LED video walls** provide just that: an independent presentation area integrated into the **octawall pro** frame system — stable, high-quality, and flexible in placement. This makes your content the clear focal point: as an eye-catcher at the entrance, an information area in the visitor flow, or a strong stage for your brand, products, and images. The system is designed for quick setup and a clean look with integrated cable routing. With three size options, you can select a video wall to perfectly suit your space, budget, and area of application - for exhibitions, events, roadshows or showrooms.








**3 sizes. 1 system.**

The substructure of the LED video walls consists of **octawall pro** frames. Made of lightweight aluminium, they promise stability and a long service life. Thanks to the modular design, the individual sets can also be expanded.

## ➤ Overview

### Freestanding LED Video Walls




**Structural analysis: included.**

All our video wall solutions come with a structural analysis. This contributes not only to visitor safety but also provides additional security in planning and facilitates coordination with local event organizers.



Flush  
integration of  
LED panels.



Fabric can  
be stretched  
around  
corners.

**Simple design — without interruptions.**

Whether it's a corner upright or an LED video wall, the fabric extends almost seamlessly to the edge, creating a uniform appearance and maximizing advertising space.

## ➤ Technical Features

### Freestanding LED Video Walls



Efficient quick connectors and invisible cable routing.

LED panel integration.

#### **Efficient: modular system construction.**

For the substructure, **octawall pro** frames are attached to each other without tools using quick connectors. The LED panels are held securely in place by adapters that engage in the system groove of the frames.



## Freestanding LED Video Walls


elegant aluminium surface / fully coverable with fabric or panels / structural analysis included

### Video Wall L 4 × W 0.5 × H 2.5 m



#### WP-C2-LED

**Aluminium** | Free-standing video wall including structural analysis from octawall pro for maximum display area, optionally with 2 × octalux extrusion on the outer corners,  
wall dimensions: L 4 × W 0.5 × H 2.5 m  
LED display area: W 2.5 × H 1.5 m




### Video Wall L 4.5 × B 0.5 × H 3 m



#### WP-C3-LED

**Aluminium** | Free-standing video wall including structural analysis from octawall pro for maximum display area, optionally with 2 × octalux extrusion on the outer corners,  
wall dimensions: L 4,5 × W 0.5 × H 2.5 m  
LED display area: W 3.5 × H 2 m




### Video Wall L 5.5 × W 0.5 × H 3.5 m



#### WP-C4-LED

**Aluminium** | Free-standing video wall including structural analysis from octawall pro for maximum display area, optionally with 2 × octalux extrusion on the outer corners,  
wall dimensions: L 5,5 × W 0.5 × H 3.5 m  
LED display area: W 4.5 × H 2.5 m



## ➤ Products

### Freestanding LED Video Walls

#### Overview of set dimensions



**WP-C2-LED: L 4 × W 0.5 × H 2.5 m**




**WP-C3-LED: L 4.5 × W 0.5 × H 3 m**



**WP-C4-LED: L 5.5 × W 0.5 × H 3.5 m**

#### Dimensions of LED video wall



**exhibition systems**  
**project solutions**  
**cleanroom solutions**



# octanorm

**OCTANORM®-Vertriebs-GmbH**

für Bauelemente

Raiffeisenstraße 39

70794 Filderstadt, Germany

**T** +49 711 77003-0

**E** info@octanorm.de

## Adria

[octanormadria.com](http://octanormadria.com)

## Australia

[octanorm.com.au](http://octanorm.com.au)

## Belgium

[octanorm.be](http://octanorm.be)

## China

[octanorm.cn](http://octanorm.cn)

## Emirates

[octanormemirates.net](http://octanormemirates.net)

## España

[octanorm.es](http://octanorm.es)

## France

[octanorm.fr](http://octanorm.fr)

## Hellas

[octanorm.gr](http://octanorm.gr)

## Italia

[octanorm.it](http://octanorm.it)

## Japan

[octanorm.co.jp](http://octanorm.co.jp)

## México

[octanorm.com.mx](http://octanorm.com.mx)

## Nigeria

[it-al.design](http://it-al.design)

## Nordic

[octanorm.se](http://octanorm.se)

## North America

[octanormna.com](http://octanormna.com)

## Polska

[octanorm.pl](http://octanorm.pl)

## South Africa

[octanorm.co.za](http://octanorm.co.za)

## UK

[octanorm.co.uk](http://octanorm.co.uk)

[octanorm.com](http://octanorm.com)